2000 ORDERING SUPPLEMENT
MIDDLE EAST

0smid42g

REQUIRED ALL MID-EAST ORDERS		
RPO	**DESCRIPTION**	
EXP	Processing Option: GMODC, Export	X
K47	Air Cleaner: High Capacity	X
NG1	Emission Certification	X
R6K	Processing Option – Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
V87	Vehicle Certification Label: Complete Vehicle	X
VC5	Shipping Label	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook (except with Z82), (V76) Tow Hook	X
Z5X	Mirror Provisions: Arabic Language. DE2 mirror supplied on Base vehicles. D48 Mirror required with YE9 trim.	X

MUST ORDER UL5 OR UL2		
UL5	Radio Delete	A
UL0	Radio: Am/FM Stereo, Seek/Scan, Cassette, Clock ETR – **Requires** UL2	A
UL2	Radio Frequency: Europe – **Requires** UL0	A

MODEL AND POWERTRAIN AVAILABILITY				
MODEL	**DESCRIPTION**	**ENG**	**DISPL.**	**TRANS.**
TC20903	2WD Regular Cab Long Box Pick-up	L65	6.5L Diesel	MT1/MW3
TK20903	4x4 Regular Cab Long Box Pick-up	L65	6.5L Diesel	MT1/MW3

EXPORT RESTRICTIONS:	
AJ1	Glass: Deep Tint - **Not Available**
Z82	Trailering Special Equipment – **Not Available**

REGULAR CAB PICKUP

8 FOOT CARGO BOX 2 WHEEL DRIVE	C20903
8 FOOT CARGO BOX 4 WHEEL DRIVE	K20903

EXTENDED-CAB PICKUP

6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K20753
8 FOOT CARGO BOX 2 WHEEL DRIVE	C20953
8 FOOT CARGO BOX 4 WHEEL DRIVE	K20953

CREW CAB

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C20743
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K20743

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOR ,TRIM AND PAINT APPLICATION CODE

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

SAFETY/SECURITY	ZE5	YE9
Lights: Daytime running lights; centre high mounted stop lamp	S	S
Passlock™Security System	S	S
Side Guard Door Beams	S	S
Single Two-Sided Key: Common key to operate ignition and doors	S	S
EXTERIOR		
Antilock Brakes: ABS 4 Wheel	S	S
Bumper: Front, chrome (except C/K20743)	S	---
Front, chrome, deluxe with rub strip (except C/K20743)	---	S
Front, chrome, deluxe with rub strip (C/K20743)	S	S
Rear step, painted	S	---
Rear step, chrome with rub strip	---	S
Door Sill Plates: Dark gray - ZE5; Color-Keyed - YE9	S	S
Glass: Solar-Ray™ tinted; all windows	S	S
Grille: Moulded plastic; painted argent; integral GMC emblem at centre of grille (YE9 is chrome-trimmed)	S	S
Headlamps: Two, rectangular halogen – ZE5; Four, composite with halogen bulbs – YE9	S	S
Horn: Single, electric low note – ZE5; Dual, electric high/low note – YE9	S	S
Insulators: Cab-to-fender; hood	---	S
Lights: Backup lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Cargo lamp, Underhood lamp	S	S
Mirrors, Exterior: Black. Below eye-line type. Fold-away	S	S
Electric Remote Control	---	S
Mouldings: Black hidden roof drip mouldings	S	S
Bright body side mouldings (CK20903, K20753, C/K20953)	---	S
Bright body side mouldings (C/K20743)	S	S
Bright wheel opening mouldings (C20903, C20953)	---	S
Bright wheel opening mouldings (C20743)	S	S
Painted wheel opening flare mouldings (with K20743, K20903, K20753 or K20953)	S	S
Nameplates: 'SL' on B pillar. Series designation nameplate on doors	S	---
'SLE' on B pillar ('SLT' with 1SH). Series designation nameplate on doors	---	S
4 x 4 decals at rear of pickup box side panels (K models)	S	S
'Sierra' nameplate on lower left of tailgate. 'GMC' nameplate on lower right of tailgate	S	S
Pickup Box: All steel double sidewall and tailgate construction, painted body color	S	S
Spare Tire Carrier: Winch-type mounted under the frame in the rear	S	S
Tow Hooks: Two, front mounted at the front of each frame side member (K20743, K20903, K20753, K20953)	S	S
Wheel Trim: Black plastic hub caps – ZE5; Rally trim rings with bright hub caps – YE9	S	S
Window: Swing-out rear quarter vent (C/K20753, C/K20953)	S	S
Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
Wiring Harness, Trailer: Heavy duty, 8-lead	S	S
INTERIOR		
Air Conditioning	---	S
Armrests: Left hand and right hand padded; integral with door trim panels	S	S
Assist Handle: Front passenger side, mounted on pillar; color-keyed	S	S
Coat Hooks: Right hand (All models) and left hand (K20753, C/K20953)	S	---
Left hand and right hand (K20753, C/K20953)	---	S
Rear both sides, mounted on pillar; color-keyed (C/K20743)	S	S
Convenience Group: Power locks, tilt wheel, cruise control, power windows with express down feature on driver's window	---	S
Defogger: Windshield and side window defoggers	S	S
Door Trim Panels: Color-keyed grained moulded plastic (ZE5); Soft vinyl with carpet covered map pocket and cloth insert (YE9)	S	S
Floor Covering: Color-keyed vinyl floor covering	S	---
Color-keyed carpeting; removable mats (rear mats on C/K20743, K20753, C/K20953)	---	S
Gauges: Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer, trip odometer	S	S
Headlamps-On and Key-In-Ignition Warning Buzzers	S	S
Headliner: Full length color-keyed cloth with matching retainer mouldings	S	S
Instrument Panel: Color-keyed, energy-absorbing foam type with grained vinyl skin; two auxiliary power outlets with spring loaded doors; cigarette lighter; dual cup holders	S	S
Passenger side open storage bin	S	S
Insulator: Cab back panel	---	S
Lights: Dome lamps, incorporating a 20 second delay-off feature. Map reading lights, underdash courtesy, ashtray and glove box. Left hand and right hand door jamb switches	S	S
Mirror, Rearview: 254 mm (10") prismatic with soft vinyl rim (C/K20743, K20753, C/K20903, C/K20953)	S	S
Light sensitive, with compass (C/K20743)	---	S
Radio Equipment: Electronically Tuned AM/FM Stereo with Seek-Scan and Digital Clock. Includes fixed mast antenna and four speakers (2 - front doors; 2 - rear pillar)	S	S

S Standard

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
Seats: Full-width front bench. Full-depth foam seat cushion with folding backrest (C/K20743, C/K20903)	S	S
Split front bench with folding backrests. Left hand and right hand easy entry (K20753, C/K20953)	S	S
Folding rear bench seat (C/K20743)	S	S
Folding rear bench seat (K20753, C/K20953)	---	S
Head restraints, adjustable. On all outboard seats	S	S
Steering Wheel: Simulated leather sport wheel with four spokes (ZE5); Leather wrapped sport wheel with four spokes (YE9)	S	S
Sunshades: Left hand and right hand padded; color-keyed cloth (YE9 has storage strap on left hand sunshade; mirror on right hand sunshade)	S	S
Tools: Mechanical jack and wheel wrench located in a storage compartment behind the seat	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN

NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

		SELECT-A-UNIT CODES			
		SIERRA SL		SIERRA SLE	SIERRA SLT
OPTION DESCRIPTION	OPTION CODE	5	6	7	8
PREFERRED EQUIPMENT GROUPS	---	1SE	1SF	1SG	♦1SH
MODEL OPTION: SIERRA SL	ZE5	X	X		
BODY ORDERING CODE: Fleetside	E63	X	X	X	X
Engine: 5700 SFI V8	L31	U	U	U	U
Transmission: 5 Spd Manual w/overdrive (K20753,C/K20903,C/K20953)	MW3	U	U	U	U
Transmission: Automatic with overdrive (C/K20743)	MT1	U	U	U	U
GVWR: 3900 kg (8600 lb)	C6P	X	X	X	X
Axle, Rear: 3.73 Ratio	GT4	U	U	U	U
Tires: LT245/75R-16/E ALS B/W	YHH	U	U	U	U
Seat: Front Bench (C/K20743, C/K20903)	A52	X	X	U	
Seat: Split Front Bench (K20753, C/K20953)	AE7	X	X	U	
Seat: Split Bench with Leather Trim (C/K20743, C/K20903)	AE7				U
Seat: Front High Back Reclining Buckets with Leather Trim (Includes folding rear bench seat and front floor console) (K20753, C/K20953)	A95				U
Air Conditioning	C60		X	S	S
Grille: Chrome	V22		X	S	S
Wheel Trim: Rally Trim Rings with Bright Hub Caps	P06		X	S	S
MODEL OPTION: SIERRA SLE / SLT	YE9			X	X
Mirror, Rearview: Interior. Light Sensitive (C/K20743)	DD7			S	S
Mirror, Rearview: Interior. Light Sensitive (K20753,C/K20903,C/K20953)	DD7				X
Keyless Entry, Remote	AU0				X
Seat Adjuster, Power: 6 Way Driver Side (C/K20743,K20753,C/K20953)	AG9				X

♦ **Requires Leather Trim Code 132, 262 or 522. Leather is on seating surfaces only**
X **Option Included In Select-A-Unit. DO NOT DELETE**
U **Option Included In Select-A-Unit and May Be Deleted If Substitute Option is Specified**
S **Standard**

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

REGULAR CAB LONGBOX PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C20903**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	C20903	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**C20903**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	C20903	YE9	8	1SH

REGULAR CAB LONGBOX PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K20903**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	K20903	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**K20903**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	K20903	YE9	8	1SH

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

EXTENDED-CAB SHORTBOX PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K20753**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	K20753	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**K20753**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	K20753	YE9	8	1SH

EXTENDED-CAB LONGBOX PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C20953**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	C20953	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**C20953**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	C20953	YE9	8	1SH

EXTENDED-CAB LONGBOX PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K20953**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	K20953	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**K20953**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	K20953	YE9	8	1SH

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

CREW CAB PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C20743**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	C20743	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**C20743**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	C20743	YE9	8	1SH

CREW CAB PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K20743**	**ZE5**	**5**	**1SE**
Preferred Equipment Group Price	K20743	ZE5	6	1SF #
SIERRA SLE / SLT #				
Model Price	**K20743**	**YE9**	**7**	**1SG**
Preferred Equipment Group Price	K20743	YE9	8	1SH

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C/K20743

				GVWR Code kgs lbs	C6P 3900 8600	
				Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	MT1 - Automatic with overdrive	GT4	GT5
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT4	GT5
				MT1 - Automatic with overdrive	GT4	GT5

K20753, C/K20903, C/K20953

				GVWR Code kgs lbs	C6P 3900 8600	
				Axle Ratio	3.73	4.10
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	MW3 - 5 Spd Manual w/overdrive	GT4	GT5
				MT1 - Automatic with overdrive	GT4	GT5
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT4	GT5
				MT1 - Automatic with overdrive	GT4	GT5
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT4	GT5
				MT1 - Automatic with overdrive	GT4	GT5

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

ENGINES: Refer to Power Teams Chart for compatibility.

Vortec 5700 Sequential Fuel Injection (SFI) V8 ..... L31

Vortec 7400 Sequential Fuel Injection (SFI) V8. Includes extra capacity engine oil cooling and 124 amp alternator. **Requires** F60 on K20753, K20903 and K20953 ..... L29

6.5 Litre (395 Cu. In.) Turbo Diesel V8. **Requires** F60 on K20753, K20903 and K20953. Includes an external engine oil cooler, heavy duty radiator, fuel heater, dual batteries, glow plugs, low coolant warning light and a water drain. Includes front bumper guards with YE9 or VG3. C/K20953 includes full floating rear axle.
Optional with: ..... C/K20903, K20753, C/K20953 ..... L65

TRANSMISSIONS: Refer to Power Teams Charts for transmission availability.

5-Speed Manual with overdrive. New Venture Gear. 109 mm. 5.61 Low MW3

4-Speed Automatic with overdrive. 4L80E. Includes transmission external air-to-oil cooling system and brake transmission shift interlock MT1

GVWR: Refer to Power Teams Charts for GVWR availability.

3900 kg (8600 lb) C6P

AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.

3.73 Ratio. Includes extra capacity engine oil cooling GT4

4.10 Ratio. Includes extra capacity engine oil cooling GT5

Locking Differential G80

TIRES:

LT245/75R-16/E Blackwall Steel Belted Radial. All Seasons Front, On-Off Road Rear, On-Off Road Spare.
Optional with: ..... C20743, C20903, C20953 ..... YGK

LT245/75R-16/E Blackwall Steel Belted Radial. On-Off Road Front, Rear and Spare.
Optional with: ..... K20743, K20753, K20903, K20953 ..... YGK

LT245/75R-16/E All Seasons Blackwall Steel Belted Radial. Front, Rear and Spare ..... YHH

SEATS AND SEAT TRIM:

C/K20743

Front Bench. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only. **Deletes** AG9 with YE9 and SAU 8.
Optional with: ..... 'V' Trim ..... SAU 5 or 6 ..... A52
..... 'D' Trim ..... SAU 7 ..... A52
..... '2' Leather Trim ..... SAU 8 ..... A52

Split Front Bench. Includes manual seat back recliners, seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: ..... 'D' Trim ..... SAU 7 ..... AE7
..... '2' Leather Trim ..... SAU 8 ..... AE7

Front High Back Reclining Buckets with inboard armrests and console (console includes a removable cup holder for front seating position). Includes seat back storage nets. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: ..... 'D' Trim ..... SAU 7 ..... A95
..... '2' Leather Trim ..... SAU 8 ..... A95

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

C/K20903

Front Bench. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: 'V' Trim ... SAU 5, 6 or 7 ... A52
'C' Trim ... SAU 5 or 6 ... A52
'D' Trim ... SAU 7 ... A52
'2' Leather Trim ... SAU 8 ... A52

Split Front Bench. Includes manual seat back recliners, seat back storage nets, and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: 'D' Trim ... SAU 7 ... AE7
'2' Leather Trim ... SAU 8 ... AE7

Front High Back Reclining Buckets with inboard armrests and console (console includes a removable cup holder for front seating position). Includes power adjustable lumbar on driver side only.
Optional with: 'D' Trim ... SAU 7 ... A95

K20753, C/K20953

Split Front Bench. Includes manual seat back recliners and easy entry feature on passenger side. With YE9 includes AM7. Includes easy entry feature on driver side unless AG9 is specified. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: 'V' Trim ... SAU 5, 6 or 7 ... AE7
'C' Trim ... SAU 5 or 6 ... AE7
'D' Trim ... SAU 7 ... AE7
'2' Leather Trim ... SAU 8 ... AE7

Front High Back Reclining Buckets with inboard armrests. Includes floor console with rear seat cup holders and a removable cup holder for front seating position, overhead centre mounted console with dual reading lamps and two storage compartments, easy entry feature on passenger side, and seat back storage nets. Includes easy entry feature on driver side unless AG9 is specified. Includes AM7. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.
Optional with: 'D' Trim ... SAU 7 ... A95
'2' Leather Trim ... SAU 8 ... A95

Rear Folding Seat. **Requires** ZE5 and AE7. Included with A95.
Optional with: 'V' Trim ... SAU 5 or 6 ... AM7
'C' Trim ... SAU 5 or 6 ... AM7

AIR CLEANER: High Capacity. ... K47

AIR CONDITIONING: All Weather. Included with YE9. Includes increased capacity cooling.
Optional with: ... SAU 5 ... C60

BATTERY: Heavy Duty Auxiliary. **Requires** L31 or L29. Included with Z81 (with L31 or L29) ... TP2

BEDLINER, PICKUP BOX: Under Rail Design ... BZY

BUMPER EQUIPMENT:

Bumper, Chrome. Front Deluxe with rub strip. Included with YE9. Included on C/K20743.
Optional with: ... SAU 5 or 6 ... VG3

Bumper, Chrome. Rear Step with rub strip. **Requires** VG3 on C/K20903, K20753 and C/K20953. Included with YE9.
Optional with: ... SAU 5 or 6 ... VB3

Bumper Delete. **Deletes** standard rear step bumper.
Not Available with Z82 ... EF1

2000 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

CAMPER SPECIAL CHASSIS EQUIPMENT: Includes TP2 With L31 or L29.
Deletes standard exterior electric remote control mirror on YE9.
Requires GT5 with the combination L29 and MT1 on K20903.
Not Available with Z82. Includes DF2 and camper wiring harness Z81

COLD CLIMATE PACKAGE: Includes engine block heater. Includes cab back panel insulator.
Not Available with L65 on C/K20953, K20753. With L65 **Requires** ZE5 on C/K20903, C/K20743 ..... V10

CONVENIENCE GROUPS:
Power Door Locks. Included with YE9 ..... AU3
Tilt Wheel and Cruise Control. Included with YE9.
Optional with: ..... SAU 5 or 6 ..... ZQ3

DEFOGGER, REAR WINDOW: Electric. **Not Available** with A28.
Optional with: ..... SAU 7 or 8 on C/K20743, K20753, C/K20953 ..... C49

FLOOR COVERING:
Carpet.
Optional with: ..... SAU 5 or 6 on C/K20903, K20753, C/K20953 ..... B30
Front Floor Mats. **Requires** B30.
Optional with: ..... SAU 5 or 6 on C/K20903, K20753, C/K20953 ..... B32
Rear Floor Mats. **Requires** B30 and B32. With AE7 **Requires** AM7.
Optional with: ..... SAU 5 or 6 on K20753, C/K20953 ..... B33
Vinyl, Color-Keyed. Replaces carpet. **Deletes** floor mats.
Optional with: ..... SAU 7 or 8 on C/K20903, K20753, C/K20953 ..... BG9

GLASS: Deep Tinted Glass on Quarter and Rear Window. Light tinted glass on all other windows. Light tinted glass on rear window when C49 is specified on K20753, C/K20953. Light tinted glass on rear window when A28 is specified on C/K20743. **Requires** A28 on C/K20903 ..... AJ1

GRILLE: Chrome. Included with YE9. Includes composite halogen headlamps and dual horns.
Optional with: ..... SAU 5 ..... V22

KEYLESS ENTRY, REMOTE: Two-button key fob remote transmitter. Illuminated entry (dome lamp remains on for 40 seconds or until ignition is engaged). Two key fobs are provided.
Optional with: ..... SAU 7 ..... AU0

LAMPS: Roof Marker U01

LICENSE PLATE BRACKET: Front VK3

MIRROR, REARVIEW: Interior. 254 mm (10") Light Sensitive. Includes a mirror that automatically adjusts to reduce night time glare and a continually recalibrating 8 point compass system.
Not Available with ZE5. Included with YE9 on C/K20743.
Optional with: ..... SAU 7 ..... DD7

MIRRORS, EXTERIOR: Left hand and right hand. Camper type, stainless steel mirror head.
Included with Z81 ..... DF2

MOULDINGS: Bright Body Side. Includes bright wheel opening mouldings (except on K20903, K20743, K20753 or K20953). Included on C/K20743.
Optional with: ..... SAU 5 or 6 on C/K20903, K20753, C/K20953 ..... B85

PAINT SCHEME: (See Color, Trim and Seat Availability Chart), Solid ZY1

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code
RADIO EQUIPMENT:	
Radio Delete (**Deletes** radio, antenna and speakers).	
Optional with: SAU 5 or 6 on C/K20743	UL5
C/K20903, K20753, C/K20953	UL5
Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two in front doors, two in rear pillar)	UM6
Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control and Clock. With ZE5 **Requires** UL2. With YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar)	UL0
Electronically Tuned AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar).	
Optional with: SAU 7 or 8	UN0
Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. **Requires** MT1. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar).	
Optional with: SAU 7 or 8	UP0
Electronically Tuned AM/FM Stereo with Cassette, Seek-Scan Data System, Clock. With ZE5 includes four speakers (two in front doors, two in rear pillars). With YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillars). **Requires** UL2	UW3
RADIO FREQUENCIES EUROPEAN: Requires UL0 or UW3	UL2
SEAT ADJUSTER, POWER: 6 way. Driver side only. **Requires** AE7 or A95. **Not Available** with 'V' trim. **Deletes** the drivers side easy entry feature on K20753, C/K20953.	
Optional with: SAU 7 on C/K20743, K20753, C/K20953	AG9
SKID PLATES: Off-Road. Includes shields for engine, front differential and transfer case.	
Optional with: K20743, K20903, K20753, K20953	NZZ
SNOW PLOW PREP PROVISIONS: Requires L31 on K20753, K20953. Includes F60. Includes heavy duty power steering cooler (radiator support mounted).	
Optional with: K20903, K20753, K20953	VYU
SPEEDOMETER:	
Kilo/Miles, Kilo Odometer, Positive Bias	UC2
Kilo/Miles, Kilo Odometer	U19
TORSION BARS: Front, Heavy Duty. Included with VYU.	
Optional with: K20903, K20753, K20953	F60
TOWING DEVICE: Two front tow hooks. Included on K20743, K20903, K20753, K20953.	
Optional with: C20743, C20903, C20953	V76
TRAILERING SPECIAL EQUIPMENT: Heavy Duty. Includes weight distributing platform trailer hitch	Z82
TRANSFER CASE: New Process 243. Electronic Shift. **Requires** MT1 and ZQ3. Includes 2H/4H/4L shift selections through a 4 wheel drive indicator switch, located in the lower section of the instrument panel, to the right of the steering column.	
Optional with: K20743, K20903, K20753, K20953	NP1
WHEEL TRIM: Rally Trim Rings with Bright Hub Caps. Included with YE9.	
Optional with: SAU 5	P06
WINDOW: Sliding Rear. **Not Available** with C49	A28

2000 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

ALTERNATOR: 105 Amp. Provides higher output at lower speeds. **Requires** L31. **Not Available** with VYU ..... 8W5 — 42

AXLE, REAR FULL FLOATING: Requires L31 and MT1.
Optional with: ..... C/K20903, C/K20953 ..... 1TA — 42

BOOT COVERS, PROTECTIVE DRIVE AXLE: Provides a ballistic nylon protective cover that sweeps ice, snow, mud and other debris from the lower control arm, resulting in a longer seal life. Recommended for use in severe environments such as mining operations, forestry service, farming and other off-highway uses.
Optional with: ..... K20903, K20753, K20953 ..... 8T7 — 42

BUMPER, FRONT: Painted black. **Requires** ZE5. **Not Available** with L65 or VB3.
Optional with: ..... SAU 5 or 6 ..... 8E8 — 42

CONSOLE DELETE: Requires A95. **Deletes** floor console. **Deletes** overhead console on C/K20743, K20753, C/K20953 ..... 9N5 — 42

METER, ENGINE HOUR ..... 7Y4 — 42

MIRRORS, EXTERIOR: Driver and Passenger. **Requires** ZE5.
Painted Black. 165.1 x 152.4 mm (6.5" x 6") Plain and Convex.
Optional with: ..... SAU 5 or 6 on K20753, C/K20903, C/K20953 ..... 6M1 — 42

Stainless Steel. 165.1 x 152.4 mm (6.5" x 6") Plain and Convex.
Optional with: ..... SAU 5 or 6 on K20753, C/K20903, C/K20953 ..... 6L8 — 42

Stainless Steel. 165.1 x 254 mm (6.5" x 10") Plain and 165.1 x 152.4 mm (6.5" x 6") Convex.
Optional with: ..... SAU 5 or 6 on K20753, C/K20903, C/K20953 ..... 6N9 — 42

Stainless Steel. 165.1 x 152.4 mm (6.5" x 6") Convex Dual Spot. **Requires** 9F8.
Optional with: ..... SAU 5 or 6 on C/K20903, C/K20953, C/K20743 ..... 9J7 — 42

West Coast Type. Stainless Steel.
Optional with: ..... SAU 5 or 6 on C/K20903, C/K20953, C/K20743 ..... 9F8 — 42

PAINTS: Solid. **Requires** 01U. **Not Available** with ZY1. Wheel flares on 4-wheel-drive models are dark argent.
Green, Woodland ..... 9V5 — 56
Tan, Doeskin ..... 9V9 — 56
Yellow, Wheatland ..... 9W3 — 56
Orange, Tangier ..... 9W4 — 56

SEAT DELETE, FRONT: Provides front bucket type seat belts only. **Not Available** with AE7, A52 or A95. **Not Available** with 132, 262 or 522. Includes folding rear bench seat on K20753, C/K20953 models unless 8Q3 is specified.
Optional with: ..... SAU 5, 6 or 7 on C/K20903, K20753, C/K20953 ..... 8E2 — 42

SEAT DELETE, REAR: Requires AE7, 8E2 or A95. **Requires** YE9 with AE7. With YE9 **Deletes** rear mats.
Optional with: ..... K20753, C/K20953 ..... 8Q3 — 42

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

SECURITY LOCK, SPARE TIRE: Provides a lockable two piece spare tire hoist shaft to deter spare tire theft ..... 8A0 — 42

SPRING, FRONT SUSPENSION: Requires L31. **Not Available** with 1TA.
Provides higher production rated spring. For Vehicle Trim Adjustment.
For Hi-Rail Use.
Optional with: ..... C20903, C20953 ..... 8W9 — 42

TRIM OVERRIDE: Provides cloth seats. **Requires** ZE5 and 'D' code trim.
C/K20903: **Requires** A95.
C/K20743 **Requires** A52 or A95.
K20753, C/K20953: **Requires** AE7 or A95 ..... 9X5 — 42

SEATS, FRONT: Requires 9X5.
High Back Reclining Buckets ..... A95 — - -
Split Bench. Includes AM7.
Optional with: ..... K20753, C/K20953 ..... AE7 — - -
Bench
Optional with: ..... C/K20743 ..... A52 — - -

2000 LIGHT DUTY TRUCKS

STEP #5: SELECT COLOR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

REGULAR CAB PICKUP - C/K20903
EXTENDED-CAB PICKUP - K20753

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Bench	Vinyl	A52	13V	26V	52V
	Bench	Cloth	A52	13C	26C	52C
YE9	Bench	Vinyl	A52	13V	26V	52V
	Bench	Custom Cloth	A52	13D	26D	52D
	Bench	Leather	A52	♦132	♦262	♦522
	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Buckets	Custom Cloth	A95	13D	26D	52D
	High Back Buckets	Leather	A95	♦132	♦262	♦522

EXTENDED-CAB PICKUP - C/K20953

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Split Bench	Vinyl	AE7	13V	26V	52V
	Split Bench	Cloth	AE7	13C	26C	52C
YE9	Split Bench	Vinyl	AE7	13V	26V	52V
	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Buckets	Custom Cloth	A95	13D	26D	52D
	High Back Buckets	Leather	A95	♦132	♦262	♦522

CREW-CAB PICKUP - C/K20743

Model Option	Seat Ordering Information			Interior Trim		
	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Bench	Vinyl	A52	13V	26V	52V
YE9	Bench	Custom Cloth	A52	13D	26D	52D
	Bench	Leather	A52	♦132	♦262	♦522
	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Buckets	Custom Cloth	A95	13D	26D	52D
	High Back Buckets	Leather	A95	♦132	♦262	♦522

Exterior Paint Color	Code	Available Combinations			■Wheel Opening Flare Mouldings
R Pewter (Met)	11U	X	X	X	Pewter (Met)
R					
Indigo Blue (Met)	39U	X	X	X	Dark Argent
Black Onyx	41U	X	---	X	Black Onyx
Emerald Green (Met)	43U	X	---	X	Dark Argent
Summit White	50U	X	X	X	Dark Argent
Dark Toreador Red (Met)	51U	X	---	X	Dark Argent
R					
Fire Red	74U	X	---	X	Dark Argent

♦ **Leather Trim Requires SAU 8. Leather is on seating surfaces only.**
■ **Only included on K20743, K20903, K20753 and K20953.**

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

GMC

C/K 2500 (Carryover)

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
C2500 REGULAR CAB								
WIDESIDE LONG BOX HD	C20903/E63/ C6P/ YHH or YGK	3/2	5700V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	1633/2722 (3600/6000)	1672 (3689)	3901/* (8600) 4536/* (10000) 4218/* (9300)
C2500 EXTENDED CAB								
WIDESIDE LONG BOX HD	C20953/E63/ C6P/ YHH or YGK	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	1633/2722 (3600/6000)	1485 (3277)	3901/* (8600) 4536/* (10000) 4218/* (9300)
C2500 CREW CAB								
SINGLE REAR WHEELS SHORT BOX	C20743/E63/ R04	6/5	5700 V8/A4	7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	2041/2722 (4500/6000)	1418 (3129)	3901/* (8600) 4536/* (10000) 4218/* (9300)
FOUR-WHEEL-DRIVE MODELS								
K2500 REGULAR CAB								
WIDESIDE LONG BOX HD	K20903/E63/ C6P/ YHH or YGK	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	2041/2722 (4500/6000)	1516 (3345)	3765/* (8300) 4536/* (10000) 4082/* (9000)
K2500 EXTENDED CAB								
WIDESIDE SHORT BOX	K20753/E63/ C6P/ YGK or YHH	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	2041/2722 (4500/6000)	1340 (2957)	3765/* (8300) 4536/* (10000) 4082/* (9000)
WIDESIDE LONG BOX HD	K20953/E63/ C6P/ YGK or YHH	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	2041/2722 (4500/6000)	1325 (2924)	3765/* (8300) 4536/* (10000) 4082/* (9000)
K2500 CREW CAB								
SINGLE REAR WHEELS SHORT BOX	K20743/E63/ R04	6/5	5700 V8/A4	7400 V8/M5/A4 6.5L V8/M5/A4	3901 (8600)	2041/2722 (4500/6000)	1286 (2838)	3765/* (8300) 4536/* (10000) 4082/* (9000)

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lb).

POWERTRAINS

ENGINES

ENGINE	VORTEC 5700 V8	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL[1]
Order Code	L31 (Standard)	L29	L65
Availability	All models	All models	All models
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	190 @ 4600 (255 @ 4600)	216 @ 4000 (290 @ 4000)	145 @ 3400 (195 @ 3400)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	447 @ 2800 (330 @ 2800)	556 @ 3200 (410 @ 3200)	583 @ 1800 (430 @ 1800)
Fuel System	SFI	SFI	Indirect Fuel Injection
Hydraulic Clutch Control Clutch Size mm (in.)	305 (12)	305 (12)	305 (12)
Standard Battery (12-volt, negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	600	600	2 @ 600 each
Standard Delcotron Alternator Maximum Capacity Amps	100	124	100

[1]Diesel equipment includes a 100-amp alternator, dual batteries with 600 cold cranking amps for reserve starting power, a block heater and glow plugs and a sophisticated fuel filtration system which includes an integral two-stage fuel filter, a water separator with an instrument panel warning light, a water drain and a fuel heater.

TRANSMISSIONS

	MANUAL	AUTOMATIC	AUTOMATIC
TRANSMISSIONS	5-SPEED MANUAL W/OVERDRIVE AND DEEP LOW HEAVY-DUTY	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE (4L60-E)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE HEAVY-DUTY (4L80-E)
Transmission Order Code	MW3	M30	MT1
Synchronized Speeds	1/2/3/4/5	—	—
Gear Ratio			
First	5.61	3.06	2.48
Second	3.04	1.63	1.48
Third	1.67	1.00	1.00
Fourth	1.00	0.70	0.75
Fifth	0.75	–	–
Reverse	5.61	2.29	2.08
Power Take-Off	Yes	No	No

FRONT AXLES

Availability	K2500	
Make/Capacity kg (lb)	American Axle /1928 (4250) Full-Floating	
Pinion and Ring Gear Type	Hypoid	
Axle Ratio Code	GT4 (Standard)	GT5
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter mm (in.)	3.73 11 41 235 (9.25)	4.10 10 41 235 (9.25)

REAR AXLES

Make	American Axle	
Application kg (lb)	3901 (8600) GVWR	
Capacity kg (lb) Type	2722 (6000) Semi-Floating[1]	
Pinion and Ring Gear Type	Hypoid	
Axle Ratio Code	GT4 (Standard)	GT5
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter mm (in.)	3.73 10 41 241[2] (9.5)	4.10 11 41 241[2] (9.5)

[1] Semi-floating axle with L31 engine. Full-floating axle with L29 and L65 engines.
[2] 268mm (10.5 inch) ring gear with full-floating axle.

BRAKES

Type	Power 4-Wheel Anti-Lock
Application kg (lb)	3901 (8600) GVWR
Front Rotor Size mm (in.)	Disc 318 (12.5)
Rear Size mm (in.)	Drum 330 x 63.5 (13 x 2.5)
Booster Type	Vacuum/Hydraulic
Parking Brake Type Operation	Cable to Rear Wheels Pedal

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
LT245/75R16E	AS/SBR/BW	YHH (Standard with C6P)
LT245/75R16E	ON-OFF/SBR/BW	YGK

STANDARD CHASSIS FEATURES

COOLING	
With C6P	Extra capacity engine oil cooler External air-to-oil transmission cooler
ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and unitized muffler tailpipe
FRAME	
Type	All-welded ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	36,000 PSI
FUEL TANK	
Location	Forward of rear axle between frame rail and propshaft Includes plastic bathtub-type shield
Fuel Filter	Located in fuel feed line
Capacity (approx.)	
C/K 20903/20953	128.8 litres (28.3 imperial gal)
C/K 20753/20743	94.6 litres (20.8 imperial gal)
GVWR	
C6P	
C/K20903/K20753/ C/K20953/C/K20743	3901 kg (8600 lb)
STEERING	
Type	Integral Power, Speed Sensitive Electronic Variable Orifice (EVO)

SUSPENSION, FRONT	Independent
Capacity (C6P)	
C20903/C20953/C20743	1860 kg (4100 lb)
4WD models	2041 kg (4500 lb)
2WD Springs	Coil
Capacity (C6P)	
C20903/C20953/C20743	817-930 kg (1800-2050 lb) each
4WD springs	Torsion bars
Capacity	1021 kg (2250 lb) each
Shock absorbers	
C6P	35mm (1.38") piston diameter
Stabilizer bar	Heavy-duty
SUSPENSION, REAR	
Springs	Two-stage multi-leaf
Capacity (C6P)	1380 kg (3042 lb) each
Shock absorbers	32mm (1.25") piston diameter
TRANSFER CASE	
Availability	K20903/K20753/K20953/K20743
Type/Model	Part-time/New process 241
Controls	Floor mounted
WHEELS	
Type	Five disc
Size	406mm x 165mm (16" x 6.5")
Attachment	With C5Z—6 bolts on 140mm (5.5") circle With C6P—8 bolts on 165mm (6.5") circle

DIMENSIONS

MODEL	REGULAR CAB/EXTENDED CAB		CREW CAB	
MODEL NUMBER	C/K20753	C/K 20903/ K20953	C/K 20743	
OPTION CODE	C6P	C6P	R04	
EXTERIOR DIMENSIONS				
BODY				
Wheelbase mm (in.)				
Regular Cab	—	3340 (131.5)	—	
Extended Cab SB/LB	3594 (141.5)	3950 (155.5)	—	
Crew-Cab	—		3924 (154.5)	
Overall Length mm (in.) w/o Rear Bumper				
Regular Cab		5420 (213.4)	—	
Extended Cab SB/LB	5550 (218.5)	6030 (237.4)	—	
Crew-Cab		—	5890 (231.9)	
Overall Height mm (in.)				
Regular Cab-2WD	—	1874 (73.8)	—	
Regular Cab-4WD	—	1930 (76.0)	—	
Extended Cab-2WD	1811 (71.3)	1857 (73.1)	—	
Extended Cab-4WD	1872 (73.7)	1880 (74.0)	—	
Crew-Cab 2WD	—	—	1877 (73.9)	
Crew-Cab 4WD	—	—	1892 (74.5)	
Maximum Width mm (in.)	1956 (77.0)	1956 (77.0)	1956 (77.0)	2395 (94.3)
Bumper to Axle mm (in.)				
Front	899 (35.4)		899 (35.4)	
Rear Overhang (w/o bumper)	1056 (41.6)/1181 (46.5)		1181(46.5)	
Cab to Rear Axle mm (in.)	1064 (41.9)	1420 (55.9)	1420 (55.9)	
Cab to End of Frame mm (in.)	1999 (78.7)	2479 (97.6)	2479 (97.6)	
Bumper to Back of Cab mm (in.)				
Regular Cab	2819 (111.0)		—	
Extended Cab	3429 (135.0)		—	
Crew-Cab	—		3772 (148.5)	
Ground to Top of Rear Load Floor mm (in.)				
Regular Cab-2WD	—	935 (36.8)	869 (34.2)	881 (34.7)
Regular Cab-4WD	—	1016 (40.0)	869 (34.2)	881 (34.7)
Extended Cab-2WD	894 (35.2)	884 (34.8)	—	—
Extended Cab-4WD	828 (33.8)	886 (34.9)	—	—
Ground Clearance mm (in.) Front/Rear				
Regular Cab-2WD	—	180/185 (7.1/7.3)	—	
Regular Cab-4WD	—	221/185 (8.7/7.3)	—	
Extended Cab-2WD	195/183 (7.7/7.2)	195/183 (7.7/7.2)	—	
Extended Cab-4WD	229/198 (9.0/7.8)	229/198 (9.0/7.8)	—	
Crew-Cab 2WD	—	—	191/163 (7.5/6.4)	
Crew-Cab 4WD	—	—	185/163 (7.3/6.4)	
Turning Diameter Curb -to-Curb m (ft)				
Regular Cab-2WD/4WD	—/—	13.23/13.72 (43.4/45.0)	—/—	
Extended Cab-2WD/4WD	15.51/14.60 (46.6/47.9)	15.30/15.82 (50.2/51.9)	—/—	
Crew-Cab-2WD/4WD	—/—	—/—	16.40/16.98 (53.8/55.7)	
CARGO BOX				
Inside Length @ Floor mm (in.)	2001 (78.8)/ 2479 (97.6)		2001 (78.8)	
Inside Width @ Top mm (in.)				
Rear	1529 (60.2)		1529 (60.2)	
Inside Width @ Floor mm (in.)	1636 (64.4)		1636 (64.4)	
Inside Width @ Wheelhousings mm (in.)	1247 (49.1)		1247 (49.1)	
Inside Height (in.)	488 (19.2)		488 (19.2)	
Tailgate Width mm (in.) Top	1575 (62.0)		1575 (62.0)	
Cargo Volume litres (cu ft)	1412 (55.6)/1957 (69.1)		1412 (55.6)	
SIGN PANEL AREA mm (in.)				
Regular Cab	432 x 1238 (17 x 48.75)		—	
Extended Cab	432 x 1969 (17 x 77.5)		—	
Crew Cab	—		432 x 2159 (17 x 85)	

DIMENSIONS (CONT'D)

MODEL	REGULAR CAB/EXTENDED CAB		CREW CAB
MODEL NUMBER	C/K20753	C/K 20903/ K20953	C/K 20743
OPTION CODE	C6P	C6P	R04
INTERIOR DIMENSIONS			
CAB Headroom mm (in.) Front/Rear[1]	1013/953 (39.9/37.5)		1013/1036 (39.9/40.8)
Legroom mm (in.) Front/Rear[1]	1059/884 (41.7/34.8)		1059/963 (41.7/37.9)
Shoulder Room mm (in.) Front/Rear[1]	1661/1717 (65.4/67.6)		1661/1648 (65.4/64.9)
Hip Room mm (in.) Front/Rear[1]	1524/1631 (60.0/64.2)		1524/1506 (60.0/59.3)
Extended Cab Cargo Volume w/o Rear Seat litres (cu ft)	1147 (40.5)		—

[1] Rear dimensions apply to Extended Cab and Crew Cab models.